

## THE BOURNEMOUTH-SWANAGE MOTOR ROAD AND FERRY COMPANY

(INCORPORATED BY ACT OF PARLIAMENT, 31st JULY, 1923)

## PRESS RELEASE DATE: Friday, 09th December 2022

## Sandbanks Ferry - Refit Update

The planned work for the ferry refit has progressed well and is almost complete. Had it not been for the damage that occurred enroute to Falmouth, we would be looking for a weather window to be towed back to Poole on time.

The repairs to the damaged areas of the ferry are progressing and the new prow arm is planned to be fitted next week. Two new prow ramp sections have been ordered and are currently being produced in Poland by the original makers.

We expect delivery of these in early February 2023, but this was the quickest option available and not the cheapest. When the new prow ramps arrive in the UK they will need to be fitted and once that is complete, we will commence with pre-service checks and sea trials.

Jason du Toit, the Sandbanks Ferry Company's Managing Director, said "We are going as fast as we are able so as to minimise time out of service. The repairs we are undertaking are subject to various time consuming approvals for safety reasons. I share all our customers frustration at the extended absence of the service and can once again only apologise."

We expect that the ferry service will recommence by the end of February 2023. All prepaid Sandbanks Ferry Ticket Card (SFTC) Passes will automatically have their expiry date extended by 3 months.

SFTC's are available free of charge from the Ferry Office and the Toll Booths on Ferry Road. Further details can be found at <u>https://www.sandbanksferry.co.uk/tolls/discounts</u>. For any further enquiries on how to take advantage of this offer please contact the Ferry Office.

Visit the Sandbanks Ferry Company at <u>www.sandbanksferry.co.uk</u>, follow us on Twitter at @sandbanksferry or on Facebook at <u>www.facebook.com/sandbanksferry</u>.

ENDS

## **Notes to Editors**

For media enquiries contact:

Jason du Toit jason.dutoit@sandbanksferry.co.uk T: 01929 450 203